

**SQL**

```
DELETE tblStudent.*, tblStudent.AcYr  
FROM tblStudent  
WHERE (((tblStudent.AcYr)=[Forms]![frmMaintenance]![Subform].[Form]![SelectAcYr]));
```

**SQL**

```
DELETE tblStudent.*, tblStudent.[Leaving Date], tblStudent.AcYr  
FROM tblStudent  
WHERE (((tblStudent.[Leaving Date]) Is Not Null) And  
((tblStudent.AcYr)=Forms!frmMaintenance!Subform.Form!SelectAcYr));
```

**SQL**

```
DELETE tblImported.*, tblImported.AcYr, tblImported.UPN  
FROM tblImported  
WHERE (((tblImported.AcYr)=[Forms]![frmAddStudent]![AcYr]) AND  
((tblImported.UPN)=[Forms]![frmAddStudent]![UPN]));
```

**SQL**

```
DELETE tblStudent.*, tblStudent.AcYr, tblStudent.UPN  
FROM tblStudent  
WHERE (((tblStudent.AcYr)=[Forms]![frmEditStudent]![AcYr]) AND  
((tblStudent.UPN)=[Forms]![frmEditStudent]![UPN]));
```

**SQL**

```
SELECT qryDetailNoFilter.UPN, qryDetailNoFilter.ACyr, qryDetailNoFilter.FirstName,
qryDetailNoFilter.LastName, qryDetailNoFilter.SENStatus, qryDetailNoFilter.FirstLanguage,
qryDetailNoFilter.Ethnicity, qryDetailNoFilter.FSM, qryDetailNoFilter.RegGroup, qryDetailNoFilter.PMLD,
qryDetailNoFilter.SLD, qryDetailNoFilter.MLD, qryDetailNoFilter.SpLD, qryDetailNoFilter.SpLangComm,
qryDetailNoFilter.ASD, qryDetailNoFilter.Visual, qryDetailNoFilter.Hearing, qryDetailNoFilter.MSI,
qryDetailNoFilter.EBSD, qryDetailNoFilter.Physical, qryDetailNoFilter.Other, qryDetailNoFilter.Gender,
qryDetailNoFilter.YearGroup, qryDetailNoFilter.DOA, qryDetailNoFilter.[Leaving Date], qryDetailNoFilter.NoSEN,
qryDetailNoFilter.KeyStage, qryDetailNoFilter.DOB
FROM qryDetailNoFilter
WHERE (((qryDetailNoFilter.Gender)=Forms!frmDetail!SelectGender) And
((qryDetailNoFilter.YearGroup)=Forms!frmDetail!SelectYearGroup)) Or
(((qryDetailNoFilter.Gender)=Forms!frmDetail!SelectGender) And ((Forms!frmDetail!SelectYearGroup)="All"))
Or (((Forms!frmDetail!SelectYearGroup)="All") And ((Forms!frmDetail!SelectGender)="All")) Or
(((qryDetailNoFilter.YearGroup)=Forms!frmDetail!SelectYearGroup) And
((Forms!frmDetail!SelectGender)="All")) Or (((qryDetailNoFilter.Gender)=Forms!frmDetail!SelectGender) And
((qryDetailNoFilter.YearGroup)=Forms!frmDetail!SelectYearGroup)) Or
(((qryDetailNoFilter.YearGroup)=Forms!frmDetail!SelectYearGroup) And
((Forms!frmDetail!SelectGender)="All")) Or (((qryDetailNoFilter.Gender)=Forms!frmDetail!SelectGender) And
((Forms!frmDetail!SelectYearGroup)="All")) Or (((Forms!frmDetail!SelectYearGroup)="All") And
((Forms!frmDetail!SelectGender)="All"))
ORDER BY qryDetailNoFilter.UPN;
```

**SQL**

```
SELECT qryDetail1.UPN, qryDetail1.ACYr, qryDetail1.FirstName, qryDetail1.LastName,
qryDetail1.FirstLanguage, qryDetail1.FSM, qryDetail1.Gender, qryDetail1.YearGroup, qryDetail1.RegGroup,
qryDetail1.SENStatus, qryDetail1.Ethnicity, qryDetail1.PMLD, qryDetail1.SLD, qryDetail1.MLD, qryDetail1.SpLD,
qryDetail1.SpLangComm, qryDetail1.ASD, qryDetail1.Visual, qryDetail1.Hearing, qryDetail1.MSI,
qryDetail1.EBSD, qryDetail1.Physical, qryDetail1.Other, qryDetail1.DOA, qryDetail1.[Leaving Date],
qryDetail1.NoSEN, qryDetail1.KeyStage, qryDetail1.DOB
FROM qryDetail1
WHERE (((qryDetail1.RegGroup)=Val(Forms!frmDetail!SelectRegGroup)) And
((qryDetail1.SENStatus)=Forms!frmDetail!SelectSEN) And
((qryDetail1.Ethnicity)=Forms!frmDetail!SelectEthnicity)) Or
(((qryDetail1.RegGroup)=Val(Forms!frmDetail!SelectRegGroup)) And
((qryDetail1.SENStatus)=Forms!frmDetail!SelectSEN) And ((Forms!frmDetail!SelectEthnicity)="All")) Or
(((qryDetail1.RegGroup)=Val(Forms!frmDetail!SelectRegGroup)) And ((Forms!frmDetail!SelectEthnicity)="All")
And ((Forms!frmDetail!SelectSEN)="All")) Or (((qryDetail1.SENStatus)=Forms!frmDetail!SelectSEN) And
((qryDetail1.Ethnicity)=Forms!frmDetail!SelectEthnicity) And ((Forms!frmDetail!SelectRegGroup)="All")) Or
(((qryDetail1.Ethnicity)=Forms!frmDetail!SelectEthnicity) And ((Forms!frmDetail!SelectSEN)="All") And
((Forms!frmDetail!SelectRegGroup)="All")) Or (((qryDetail1.SENStatus)=Forms!frmDetail!SelectSEN) And
((Forms!frmDetail!SelectEthnicity)="All") And ((Forms!frmDetail!SelectRegGroup)="All")) Or
(((qryDetail1.RegGroup)=Val(Forms!frmDetail!SelectRegGroup)) And
((qryDetail1.Ethnicity)=Forms!frmDetail!SelectEthnicity) And ((Forms!frmDetail!SelectSEN)="All")) Or
(((Forms!frmDetail!SelectEthnicity)="All") And ((Forms!frmDetail!SelectSEN)="All") And
((Forms!frmDetail!SelectRegGroup)="All"));
```

**SQL**

```
SELECT qryDetail2.UPN, qryDetail2.FirstName, qryDetail2.LastName, qryDetail2.Gender, qryDetail2.YearGroup,
qryDetail2.RegGroup, qryDetail2.SENStatus, qryDetail2.Ethnicity, qryDetail2.FirstLanguage, qryDetail2.ACyr,
qryDetail2.FSM, qryDetail2.PMLD, qryDetail2.SLD, qryDetail2.MLD, qryDetail2.SpLD, qryDetail2.SpLangComm,
qryDetail2.ASD, qryDetail2.Visual, qryDetail2.Hearing, qryDetail2.MSI, qryDetail2.EBSD, qryDetail2.Physical,
qryDetail2.Other, qryDetail2.DOA, qryDetail2.[Leaving Date], qryDetail2.NoSEN, qryDetail2.KeyStage,
qryDetail2.DOB
FROM qryDetail2
WHERE (((qryDetail2.FirstLanguage)=Forms!frmDetail!Select1stLanguage) And
((qryDetail2.ACyr)=Forms!frmDetail!SelectAcYr) And ((qryDetail2.FSM)=Val(Forms!frmDetail!SelectFSM))) Or
(((qryDetail2.FirstLanguage)=Forms!frmDetail!Select1stLanguage) And
((qryDetail2.ACyr)=Forms!frmDetail!SelectAcYr) And ((Forms!frmDetail!SelectFSM)="All")) Or
(((qryDetail2.FirstLanguage)=Forms!frmDetail!Select1stLanguage) And ((Forms!frmDetail!SelectFSM)="All")
And ((Forms!frmDetail!SelectAcYr)="All")) Or
(((qryDetail2.FirstLanguage)=Forms!frmDetail!Select1stLanguage) And
((qryDetail2.FSM)=Val(Forms!frmDetail!SelectFSM)) And ((Forms!frmDetail!SelectAcYr)="All")) Or
(((qryDetail2.ACyr)=Forms!frmDetail!SelectAcYr) And ((qryDetail2.FSM)=Val(Forms!frmDetail!SelectFSM)) And
((Forms!frmDetail!Select1stLanguage)="All")) Or ((qryDetail2.FSM)=Val(Forms!frmDetail!SelectFSM)) And
((Forms!frmDetail!SelectAcYr)="All") And ((Forms!frmDetail!Select1stLanguage)="All")) Or
(((qryDetail2.ACyr)=Forms!frmDetail!SelectAcYr) And ((Forms!frmDetail!SelectFSM)="All") And
((Forms!frmDetail!Select1stLanguage)="All")) Or (((Forms!frmDetail!SelectFSM)="All") And
((Forms!frmDetail!SelectAcYr)="All") And ((Forms!frmDetail!Select1stLanguage)="All"));
```

**SQL**

```
SELECT qryDetail3.FirstName, qryDetail3.LastName, qryDetail3.UPN, qryDetail3.Gender, qryDetail3.YearGroup,
qryDetail3.RegGroup, qryDetail3.SENStatus, qryDetail3.Ethnicity, qryDetail3.ACyr, qryDetail3.FSM,
qryDetail3.FirstLanguage, qryDetail3.PMLD, qryDetail3.SLD, qryDetail3.MLD, qryDetail3.SpLD,
qryDetail3.SpLangComm, qryDetail3.ASD, qryDetail3.Visual, qryDetail3.Hearing, qryDetail3.MSI,
qryDetail3.EBSD, qryDetail3.Physical, qryDetail3.Other, qryDetail3.DOA, qryDetail3.[Leaving Date],
qryDetail3.NoSEN, IIf([FirstLanguage]="English","True","False") AS 1stLanguage, qryDetail3.KeyStage,
qryDetail3.DOB
FROM qryDetail3
WHERE (((IIf([FirstLanguage]="English","True","False"))=[Forms]![frmDetail]![SelectEAL]) AND
((qryDetail3.KeyStage) Like "*" & [Forms]![frmDetail]![SelectKS] & "*")) OR
(((IIf([FirstLanguage]="English","True","False"))=[Forms]![frmDetail]![SelectEAL]) AND
((([Forms]![frmDetail]![SelectKS])="All")) OR (((qryDetail3.KeyStage) Like "*" & [Forms]![frmDetail]![SelectKS]
& "*") AND (([Forms]![frmDetail]![SelectEAL])="All")) OR ((([Forms]![frmDetail]![SelectKS])="All") AND
(([Forms]![frmDetail]![SelectEAL])="All")));
```



**SQL**

```
INSERT INTO tblDetailTemp ( ACYr, FirstName, LastName, FirstLanguage, Gender, YearGroup, RegGroup,
SENStatus, Ethnicity, FSM, UPN, PMLD, SLD, MLD, SpLD, SpLangComm, ASD, Visual, Hearing, MSI, EBSD,
Physical, Other, DOA, [Leaving Date], NoSEN, KeyStage, DOB )
SELECT qryDetail4.ACYr, qryDetail4.FirstName, qryDetail4.LastName, qryDetail4.FirstLanguage,
qryDetail4.Gender, qryDetail4.YearGroup, qryDetail4.RegGroup, qryDetail4.SENStatus, qryDetail4.Ethnicity,
qryDetail4.FSM, qryDetail4.UPN, qryDetail4.PMLD, qryDetail4.SLD, qryDetail4.MLD, qryDetail4.SpLD,
qryDetail4.SpLangComm, qryDetail4.ASD, qryDetail4.Visual, qryDetail4.Hearing, qryDetail4.MSI,
qryDetail4.EBSD, qryDetail4.Physical, qryDetail4.Other, qryDetail4.DOA, qryDetail4.[Leaving Date],
qryDetail4.NoSEN, qryDetail4.KeyStage, qryDetail4.DOB
FROM qryDetail4
WHERE (((qryDetail4.UPN)=[Forms]![frmDetail]![SelectStudent])) OR
(((Forms]![frmDetail]![SelectStudent])="All"))
ORDER BY qryDetail4.LastName;
```

**SQL**

```
INSERT INTO tblDetailTemp ( UPN, ACYr, FirstName, LastName, Gender, YearGroup, SENStatus,
FirstLanguage, Ethnicity, FSM, RegGroup, PMLD, SLD, MLD, SpLD, SpLangComm, ASD, Visual, Hearing, MSI,
EBSD, Physical, Other, DOA, [Leaving Date], NoSEN, KeyStage, DOB )
SELECT tblStudent.UPN, tblStudent.ACYr, tblStudent.FirstName, tblStudent.LastName, tblStudent.Gender,
tblStudent.YearGroup, tblStudent.SENStatus, tblStudent.FirstLanguage, tblStudent.Ethnicity, tblStudent.FSM,
tblStudent.RegGroup, tblStudent.PMLD, tblStudent.SLD, tblStudent.MLD, tblStudent.SpLD,
tblStudent.SpLangComm, tblStudent.ASD, tblStudent.Visual, tblStudent.Hearing, tblStudent.MSI,
tblStudent.EBSD, tblStudent.Physical, tblStudent.Other, tblStudent.DOA, tblStudent.[Leaving Date],
tblStudent.NoSEN, tblKeyStages.KeyStage, tblStudent.DOB
FROM tblStudent LEFT JOIN tblKeyStages ON tblStudent.YearGroup = tblKeyStages.YearGroup
ORDER BY tblStudent.UPN;
```

**SQL**

```
SELECT tblStudent.UPN, tblStudent.ACyr, tblStudent.FirstName, tblStudent.LastName, tblStudent.Gender,  
tblStudent.YearGroup, tblStudent.SENStatus, tblStudent.FirstLanguage, tblStudent.Ethnicity, tblStudent.FSM,  
tblStudent.RegGroup, tblStudent.PMLD, tblStudent.SLD, tblStudent.MLD, tblStudent.SpLD,  
tblStudent.SpLangComm, tblStudent.ASD, tblStudent.Visual, tblStudent.Hearing, tblStudent.MSI,  
tblStudent.EBSD, tblStudent.Physical, tblStudent.Other, tblStudent.DOA, tblStudent.[Leaving Date],  
tblStudent.NoSEN, tblKeyStages.KeyStage, tblStudent.DOB  
FROM tblStudent LEFT JOIN tblKeyStages ON tblStudent.YearGroup = tblKeyStages.YearGroup  
ORDER BY tblStudent.UPN;
```

**SQL**

```
DELETE tblDetailTemp.*  
FROM tblDetailTemp;
```

**SQL**

```
SELECT tblStudent.AcYr, tblStudent.UPN, tblStudent.FirstName, tblStudent.LastName, tblStudent.Gender,  
tblStudent.SENStatus, tblStudent.FirstLanguage, tblStudent.Ethnicity, tblStudent.FSM, tblStudent.YearGroup,  
tblStudent.RegGroup, tblStudent.DOA, tblStudent.[Leaving Date], tblStudent.DOB  
FROM tblStudent  
WHERE (((tblStudent.AcYr)=Forms!frmEnterDataSEN!frmEnterDataSENSubform.Form!AcYr) And  
((tblStudent.UPN)=Forms!frmEnterDataSEN!frmEnterDataSENSubform.Form!UPN));
```

**SQL**

```
SELECT qryEnterDataSEN1.UPN, qryEnterDataSEN1.LastName, qryEnterDataSEN1.FirstName,
qryEnterDataSEN1.PMLD, qryEnterDataSEN1.SLD, qryEnterDataSEN1.MLD, qryEnterDataSEN1.SpLD,
qryEnterDataSEN1.SpLangComm, qryEnterDataSEN1.ASD, qryEnterDataSEN1.Visual,
qryEnterDataSEN1.Hearing, qryEnterDataSEN1.MSI, qryEnterDataSEN1.EBSD, qryEnterDataSEN1.Physical,
qryEnterDataSEN1.Other, qryEnterDataSEN1.Locked, qryEnterDataSEN1.NoSEN,
qryEnterDataSEN1.YearGroup, qryEnterDataSEN1.RegGroup, qryEnterDataSEN1.AcYr,
qryEnterDataSEN1.SENStatus, qryEnterDataSEN1.Locked
FROM qryEnterDataSEN1
WHERE (((qryEnterDataSEN1.AcYr)=Forms!frmEnterDataSEN!SelectAcYr) And
((qryEnterDataSEN1.SENStatus)=Forms!frmEnterDataSEN!SelectSENStatus)) Or
(((qryEnterDataSEN1.AcYr)=Forms!frmEnterDataSEN!SelectAcYr) And
((Forms!frmEnterDataSEN!SelectSENStatus)="All")) Or
(((qryEnterDataSEN1.SENStatus)=Forms!frmEnterDataSEN!SelectSENStatus) And
((Forms!frmEnterDataSEN!SelectAcYr)="All")) Or (((Forms!frmEnterDataSEN!SelectSENStatus)="All") And
((Forms!frmEnterDataSEN!SelectAcYr)="All"))
ORDER BY qryEnterDataSEN1.LastName, qryEnterDataSEN1.FirstName;
```

**SQL**

```
SELECT tblStudent.AcYr, tblStudent.UPN, tblStudent.FirstName, tblStudent.LastName, tblStudent.PMLD,
tblStudent.SLD, tblStudent.MLD, tblStudent.SpLD, tblStudent.SpLangComm, tblStudent.ASD, tblStudent.Visual,
tblStudent.Hearing, tblStudent.MSI, tblStudent.EBSD, tblStudent.Physical, tblStudent.Other, tblStudent.Locked,
tblStudent.NoSEN, tblStudent.SENStatus, tblStudent.YearGroup, tblStudent.RegGroup, tblStudent.Locked
FROM tblStudent
WHERE (((tblStudent.YearGroup)=Forms!frmEnterDataSEN!SelectYearGroup) And
((tblStudent.RegGroup)=Forms!frmEnterDataSEN!SelectRegGroup)) Or
(((tblStudent.YearGroup)=Forms!frmEnterDataSEN!SelectYearGroup) And
((Forms!frmEnterDataSEN!SelectRegGroup)="All")) Or
(((tblStudent.RegGroup)=Forms!frmEnterDataSEN!SelectRegGroup) And
((Forms!frmEnterDataSEN!SelectYearGroup)="All")) Or (((Forms!frmEnterDataSEN!SelectRegGroup)="All")
And ((Forms!frmEnterDataSEN!SelectYearGroup)="All"));
```

**SQL**

```
INSERT INTO tblEnterDataSENTemp ( YearGroup, RegGroup, AcYr, SENStatus )
SELECT qryEnterDataSENTempAppend1.YearGroup, qryEnterDataSENTempAppend1.RegGroup,
qryEnterDataSENTempAppend1.AcYr, qryEnterDataSENTempAppend1.SENStatus
FROM qryEnterDataSENTempAppend1
GROUP BY qryEnterDataSENTempAppend1.YearGroup, qryEnterDataSENTempAppend1.RegGroup,
qryEnterDataSENTempAppend1.AcYr, qryEnterDataSENTempAppend1.SENStatus,
[Forms]![frmEnterDataSEN]![SelectAcYr], [Forms]![frmEnterDataSEN]![SelectSENStatus]
HAVING (((qryEnterDataSENTempAppend1.AcYr)=[Forms]![frmEnterDataSEN]![SelectAcYr]) AND
((qryEnterDataSENTempAppend1.SENStatus)=[Forms]![frmEnterDataSEN]![SelectSENStatus])) OR
(((qryEnterDataSENTempAppend1.AcYr)=[Forms]![frmEnterDataSEN]![SelectAcYr]) AND
(([Forms]![frmEnterDataSEN]![SelectSENStatus])="All")) OR
(((qryEnterDataSENTempAppend1.SENStatus)=[Forms]![frmEnterDataSEN]![SelectSENStatus]) AND
(([Forms]![frmEnterDataSEN]![SelectAcYr])="All")) OR ((([Forms]![frmEnterDataSEN]![SelectAcYr])="All")
AND (([Forms]![frmEnterDataSEN]![SelectSENStatus])="All"));
```



**SQL**

```
SELECT tblStudent.YearGroup, tblStudent.RegGroup, tblStudent.AcYr, tblStudent.SENStatus
FROM tblStudent
GROUP BY tblStudent.YearGroup, tblStudent.RegGroup, tblStudent.AcYr, tblStudent.SENStatus,
[Forms]![frmEnterDataSEN]![SelectYearGroup], [Forms]![frmEnterDataSEN]![SelectRegGroup]
HAVING (((tblStudent.YearGroup)=Forms!frmEnterDataSEN!SelectYearGroup) And
(tblStudent.RegGroup)=Forms!frmEnterDataSEN!SelectRegGroup)) Or
(((tblStudent.YearGroup)=Forms!frmEnterDataSEN!SelectYearGroup) And
(Forms!frmEnterDataSEN!SelectRegGroup)="All")) Or
(((tblStudent.RegGroup)=Forms!frmEnterDataSEN!SelectRegGroup) And
(Forms!frmEnterDataSEN!SelectYearGroup)="All")) Or (((Forms!frmEnterDataSEN!SelectYearGroup)="All")
And ((Forms!frmEnterDataSEN!SelectRegGroup)="All"));
```

**SQL**

```
INSERT INTO tblEnterDataSENTemp ( AcYr, SENStatus, YearGroup, RegGroup )  
SELECT tblStudent.AcYr, tblStudent.SENStatus, tblStudent.YearGroup, tblStudent.RegGroup  
FROM tblStudent  
GROUP BY tblStudent.AcYr, tblStudent.SENStatus, tblStudent.YearGroup, tblStudent.RegGroup;
```

**SQL**

```
DELETE tblEnterDataSENTemp.*  
FROM tblEnterDataSENTemp;
```

**SQL**

```
SELECT tblDetailTemp.FirstLanguage  
FROM tblDetailTemp  
GROUP BY tblDetailTemp.FirstLanguage;  
UNION SELECT "All"  
FROM tblDetailTemp;
```

**SQL**

```
SELECT tblDetailTemp.ACyr  
FROM tblDetailTemp  
GROUP BY tblDetailTemp.ACyr;  
UNION SELECT "All" FROM tblDetailTemp;
```

**SQL**

```
SELECT IIf([FirstLanguage]="English","True","False") AS List  
FROM tblDetailTemp  
GROUP BY IIf([FirstLanguage]="English","True","False");  
UNION SELECT "All" FROM tblDetailTemp;
```

**SQL**

```
SELECT tblDetailTemp.Ethnicity  
FROM tblDetailTemp  
GROUP BY tblDetailTemp.Ethnicity;  
UNION SELECT "All" FROM tblDetailTemp;
```

**SQL**

```
SELECT tblDetailTemp.Gender  
FROM tblDetailTemp  
GROUP BY tblDetailTemp.Gender;  
UNION SELECT "All" FROM tblDetailTemp  
ORDER BY tblDetailTemp.Gender;
```



**SQL**

```
SELECT tblDetailTemp.KeyStage  
FROM tblDetailTemp  
GROUP BY tblDetailTemp.KeyStage;  
UNION SELECT "All" FROM tblDetailTemp  
UNION SELECT "KS2" FROM tblDetailTemp;
```

**SQL**

```
SELECT tblDetailTemp.RegGroup  
FROM tblDetailTemp  
GROUP BY tblDetailTemp.RegGroup;  
UNION SELECT "All" FROM tblDetailTemp;
```

**SQL**

```
SELECT tblDetailTemp.SENStatus  
FROM tblDetailTemp  
GROUP BY tblDetailTemp.SENStatus;  
UNION SELECT "All" FROM tblDetailTemp;
```

**SQL**

```
SELECT tblstudent.SENStatus  
FROM tblstudent  
GROUP BY tblstudent.SENStatus;
```

**SQL**

```
SELECT tblStudent.ACyr  
FROM tblStudent  
GROUP BY tblStudent.ACyr  
UNION SELECT "All" FROM tblEnterDataSENTemp  
ORDER BY tblStudent.ACyr;
```

**SQL**

```
SELECT tblEnterDataSENTemp.RegGroup  
FROM tblEnterDataSENTemp  
GROUP BY tblEnterDataSENTemp.RegGroup;  
UNION SELECT "All" FROM tblEnterDataSENTemp;
```

**SQL**

```
SELECT tblEnterDataSENTemp.SENStatus  
FROM tblEnterDataSENTemp  
GROUP BY tblEnterDataSENTemp.SENStatus;  
UNION SELECT "All" FROM tblEnterDataSENTemp;
```

**SQL**

```
SELECT tblEnterDataSETemp.YearGroup  
FROM tblEnterDataSETemp  
GROUP BY tblEnterDataSETemp.YearGroup  
UNION SELECT "All" FROM tblEnterDataSETemp  
ORDER BY tblEnterDataSETemp.YearGroup;
```



**SQL**

```
SELECT [FirstName]+" "+[LastName] AS Student, tblDetailTemp.UPN, tblDetailTemp.LastName  
FROM tblDetailTemp  
GROUP BY [FirstName]+" "+[LastName], tblDetailTemp.UPN, tblDetailTemp.LastName  
UNION SELECT "All", "All", "*All" FROM tblDetailTemp  
ORDER BY tblDetailTemp.LastName;
```

**SQL**

```
SELECT tblDetailTemp.YearGroup  
FROM tblDetailTemp  
GROUP BY tblDetailTemp.YearGroup  
UNION SELECT "All" FROM tblDetailTemp  
ORDER BY tblDetailTemp.YearGroup;
```

**SQL**

```
INSERT INTO tblStudent ( AcYr, UPN, FirstName, LastName, Gender, SENStatus, FirstLanguage, Ethnicity,  
FSM, YearGroup, RegGroup, DOA, [Leaving Date], DOB )  
SELECT [Forms]![frmMaintenance]![Subform].[Form]![AcademicYear] AS AcYr, tblImport.UPN,  
tblImport.Forename, tblImport.Surname, tblImport.Gender, tblImport.[SEN Status], tblImport.[First  
Language], tblImport.Ethnicity, IIf([Eligible for free meals]="T",True,False) AS FSM, Replace([Year]," ","")  
AS YrGrp, tblImport.Reg, tblImport.DOA, tblImport.[Leaving Date], tblImport.DOB  
FROM tblImport  
WHERE (((tblImport.UPN)<>"UPN") AND ((tblImport.[Leaving Date]) Is Null));
```

**SQL**

```
DELETE tblImport.*  
FROM tblImport;
```

**SQL**

```
DELETE tblImported.*  
FROM tblImported;
```

**SQL**

```
UPDATE tblStudent INNER JOIN tblImport ON tblStudent.UPN = tblImport.UPN SET tblStudent.FirstName = [tblImport]![Forename], tblStudent.LastName = [tblImport]![Surname], tblStudent.Gender = IIf(IsNull([tblImport]![Gender]),"Unknown",[tblImport]![Gender]), tblStudent.FirstLanguage = IIf(IsNull([tblImport]![First Language]),"Unknown",[tblImport]![First Language]), tblStudent.Ethnicity = IIf(IsNull([tblImport]![Ethnicity]),"Unknown",[tblImport]![Ethnicity]), tblStudent.FSM = IIf([tblImport]![Eligible for free meals]="T",True,False), tblStudent.YearGroup = Replace([tblImport]![Year]," ",""), tblStudent.RegGroup = [tblImport]![Reg], tblStudent.DOA = [tblImport]![DOA], tblStudent.[Leaving Date] = [tblImport]![Leaving Date], tblStudent.DOB = [tblImport]![DOB] WHERE (((tblStudent.AcYr)=[Forms]![frmMaintenance]![Subform].[Form]![AcademicYear]));
```

**SQL**

```
SELECT tblDetailTemp.UPN, tblDetailTemp.FirstName, tblDetailTemp.LastName, tblDetailTemp.DOA,  
tblDetailTemp.[Leaving Date], tblDetailTemp.NoSEN  
FROM tblDetailTemp  
WHERE (((tblDetailTemp.[Leaving Date]) Between [Forms]![frmEnterStarterLeaverDates]![FromDate] And  
[Forms]![frmEnterStarterLeaverDates]![ToDate]))  
ORDER BY tblDetailTemp.LastName;
```

**SQL**

```
UPDATE tblStudent SET tblStudent.Locked = True  
WHERE (((tblStudent.Locked)=False) And  
((tblStudent.AcYr)=Forms!frmMaintenance!Subform.Form!SelectAcYr));
```



**SQL**

```
UPDATE qryEnterDataSEN SET qryEnterDataSEN.Locked = True  
WHERE (((qryEnterDataSEN.Locked)=False));
```

**SQL**

```
UPDATE tblStudent SET tblStudent.Locked = True  
WHERE (((tblStudent.UPN)=[Forms]![frmEnterDataSEN]![frmEnterDataSENSubform].[form].[UPN]));
```

**SQL**

```
SELECT tblDetailTemp.UPN, tblDetailTemp.FirstName, tblDetailTemp.LastName, tblDetailTemp.DOA,  
tblDetailTemp.[Leaving Date], tblDetailTemp.NoSEN  
FROM tblDetailTemp  
WHERE (((tblDetailTemp.DOA) Between [Forms]![frmEnterStarterLeaverDates]![FromDate] And  
[Forms]![frmEnterStarterLeaverDates]![ToDate]))  
ORDER BY tblDetailTemp.LastName;
```

**SQL**

```
SELECT tblSystem.Logo, tblDetailTemp.YearGroup, tblDetailTemp.RegGroup, Count(tblDetailTemp.UPN) AS  
InYear, Sum(IIf([SENStatus]<>"N/A",1,0)) AS OnRegister, Sum(IIf([SENStatus]="Education, Health and Care  
Plan",1,0)) AS EHCP, Sum(IIf([SENStatus]="SEN Support",1,0)) AS SENSupport,  
Sum(IIf([SENStatus]="Statement",1,0)) AS Statement, Sum([PMLD]*-1) AS SumOfPMLD, Sum([SLD]*-1) AS  
SumOfSLD, Sum([MLD]*-1) AS SumOfMLD, Sum([SpLD]*-1) AS SumOfSpLD, Sum([SpLangComm]*-1) AS  
[SumOfSp/Lang/Comm], Sum([ASD]*-1) AS SumOfASD, Sum([Visual]*-1) AS SumOfVisual, Sum([Hearing]*-  
1) AS SumOfHearing, Sum([MSI]*-1) AS SumOfMSI, Sum([EBSD]*-1) AS SumOfEBSD, Sum([Physical]*-1) AS  
SumOfPhysical, Sum([Other]*-1) AS SumOfOther  
FROM tblDetailTemp, tblSystem  
GROUP BY tblDetailTemp.YearGroup, tblDetailTemp.RegGroup  
ORDER BY tblDetailTemp.YearGroup, tblDetailTemp.RegGroup;
```

**SQL**

```
SELECT tblSystem.Logo, tblDetailTemp.RegGroup, Count(tblDetailTemp.UPN) AS InYear,
Sum(IIf([SENStatus]<>"N/A",1,0)) AS OnRegister, Sum(IIf([SENStatus]="Education, Health and Care
Plan",1,0)) AS EHCP, Sum(IIf([SENStatus]="SEN Support",1,0)) AS SENSupport,
Sum(IIf([SENStatus]="Statement",1,0)) AS Statement, Sum([PMLD]*-1) AS SumOfPMLD, Sum([SLD]*-1) AS
SumOfSLD, Sum([MLD]*-1) AS SumOfMLD, Sum([SpLD]*-1) AS SumOfSpLD, Sum([SpLangComm]*-1) AS
[SumOfSp/Lang/Comm], Sum([ASD]*-1) AS SumOfASD, Sum([Visual]*-1) AS SumOfVisual, Sum([Hearing]*-
1) AS SumOfHearing, Sum([MSI]*-1) AS SumOfMSI, Sum([EBSD]*-1) AS SumOfEBSD, Sum([Physical]*-1) AS
SumOfPhysical, Sum([Other]*-1) AS SumOfOther
FROM tblDetailTemp, tblSystem
GROUP BY tblDetailTemp.RegGroup
ORDER BY tblDetailTemp.RegGroup;
```

**SQL**

```
SELECT "PMLD" AS NoD, Sum(IIf([PMLD]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "PMLD"
HAVING (((Sum(IIf([PMLD]=True,1,0))=True));
UNION
SELECT "SLD" AS NoD, Sum(IIf([SLD]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "SLD"
HAVING (((Sum(IIf([SLD]=True,1,0))=True));
UNION
SELECT "MLD" AS NoD, Sum(IIf([MLD]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "MLD"
HAVING (((Sum(IIf([MLD]=True,1,0))=True));
UNION
SELECT "SpLD" AS NoD, Sum(IIf([SpLD]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "SpLD"
HAVING (((Sum(IIf([SpLD]=True,1,0))=True));
UNION
SELECT "SpLangComm" AS NoD, Sum(IIf([SpLangComm]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "SpLangComm"
HAVING (((Sum(IIf([SpLangComm]=True,1,0))=True));
UNION
SELECT "ASD" AS NoD, Sum(IIf([ASD]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "ASD"
HAVING (((Sum(IIf([ASD]=True,1,0))=True));
UNION
SELECT "Visual" AS NoD, Sum(IIf([Visual]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "Visual"
HAVING (((Sum(IIf([Visual]=True,1,0))=True));
UNION
SELECT "Hearing" AS NoD, Sum(IIf([Hearing]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "Hearing"
HAVING (((Sum(IIf([Hearing]=True,1,0))=True));
UNION
SELECT "MSI" AS NoD, Sum(IIf([MSI]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "MSI"
HAVING (((Sum(IIf([MSI]=True,1,0))=True));
UNION
SELECT "EBSD" AS NoD, Sum(IIf([EBSD]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "EBSD"
HAVING (((Sum(IIf([EBSD]=True,1,0))=True));
UNION
SELECT "Physical" AS NoD, Sum(IIf([Physical]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "Physical"
HAVING (((Sum(IIf([Physical]=True,1,0))=True));
UNION SELECT "Other" AS NoD, Sum(IIf([Other]=True,1,0)) AS Total
FROM tblDetailTemp
GROUP BY "Other"
HAVING (((Sum(IIf([Other]=True,1,0))=True));
```

**SQL**

```
SELECT tblSystem.Logo, tblDetailTemp.YearGroup, Count(tblDetailTemp.UPN) AS InYear,
Sum(IIf([SENStatus]<>"N/A",1,0)) AS OnRegister, Sum(IIf([SENStatus]="Education, Health and Care
Plan",1,0)) AS EHCP, Sum(IIf([SENStatus]="SEN Support",1,0)) AS SENSupport,
Sum(IIf([SENStatus]="Statement",1,0)) AS Statement, Sum([PMLD]*-1) AS SumOfPMLD, Sum([SLD]*-1) AS
SumOfSLD, Sum([MLD]*-1) AS SumOfMLD, Sum([SpLD]*-1) AS SumOfSpLD, Sum([SpLangComm]*-1) AS
[SumOfSp/Lang/Comm], Sum([ASD]*-1) AS SumOfASD, Sum([Visual]*-1) AS SumOfVisual, Sum([Hearing]*-
1) AS SumOfHearing, Sum([MSI]*-1) AS SumOfMSI, Sum([EBSD]*-1) AS SumOfEBSD, Sum([Physical]*-1) AS
SumOfPhysical, Sum([Other]*-1) AS SumOfOther
FROM tblDetailTemp, tblSystem
GROUP BY tblDetailTemp.YearGroup
ORDER BY tblDetailTemp.YearGroup;
```

**SQL**

```
INSERT INTO tblStudentPreviousYear ( AcYr, UPN, FirstName, LastName, Gender, SENStatus, FirstLanguage,
Ethnicity, FSM, YearGroup, RegGroup, DOA, [Leaving Date], PMLD, SLD, MLD, SpLD, SpLangComm, ASD,
Visual, Hearing, MSI, EBSD, Physical, Other, NoSEN, Locked )
SELECT tblStudent.AcYr, tblStudent.UPN, tblStudent.FirstName, tblStudent.LastName, tblStudent.Gender,
tblStudent.SENStatus, tblStudent.FirstLanguage, tblStudent.Ethnicity, tblStudent.FSM, tblStudent.YearGroup,
tblStudent.RegGroup, tblStudent.DOA, tblStudent.[Leaving Date], tblStudent.PMLD, tblStudent.SLD,
tblStudent.MLD, tblStudent.SpLD, tblStudent.SpLangComm, tblStudent.ASD, tblStudent.Visual,
tblStudent.Hearing, tblStudent.MSI, tblStudent.EBSD, tblStudent.Physical, tblStudent.Other, tblStudent.NoSEN,
tblStudent.Locked
FROM tblStudent
WHERE (((tblStudent.AcYr)=[Forms]![frmMaintenance]![Subform].[Form]![PreviousAcademicYear]));
```



**SQL**

```
DELETE tblStudentPreviousYear.*  
FROM tblStudentPreviousYear;
```

**SQL**

```
UPDATE tblStudent INNER JOIN tblStudentPreviousYear ON tblStudent.UPN = tblStudentPreviousYear.UPN
SET tblStudent.FirstName = [tblStudentPreviousYear].[FirstName], tblStudent.LastName =
[tblStudentPreviousYear].[LastName], tblStudent.SENStatus = [tblStudentPreviousYear].[SENStatus],
tblStudent.FirstLanguage = [tblStudentPreviousYear].[FirstLanguage], tblStudent.Ethnicity =
[tblStudentPreviousYear].[Ethnicity], tblStudent.FSM = [tblStudentPreviousYear].[FSM], tblStudent.PMLD =
[tblStudentPreviousYear].[PMLD], tblStudent.SLD = [tblStudentPreviousYear].[SLD], tblStudent.MLD =
[tblStudentPreviousYear].[MLD], tblStudent.SpLD = [tblStudentPreviousYear].[SpLD],
tblStudent.SpLangComm = [tblStudentPreviousYear].[SpLangComm], tblStudent.ASD =
[tblStudentPreviousYear].[ASD], tblStudent.Visual = [tblStudentPreviousYear].[Visual], tblStudent.Hearing =
[tblStudentPreviousYear].[Hearing], tblStudent.MSI = [tblStudentPreviousYear].[MSI], tblStudent.EBSD =
[tblStudentPreviousYear].[EBSD], tblStudent.Physical = [tblStudentPreviousYear].[Physical], tblStudent.Other
= [tblStudentPreviousYear].[Other], tblStudent.NoSEN = [tblStudentPreviousYear].[NoSEN]
WHERE (((tblStudent.AcYr)=[Forms]![frmMaintenance]![Subform].[Form]![AcademicYear]));
```

**SQL**

```
UPDATE tblStudent SET tblStudent.Locked = False  
WHERE (((tblStudent.Locked)=True) And  
((tblStudent.AcYr)=Forms!frmMaintenance!Subform.Form!SelectAcYr));
```

**SQL**

```
UPDATE qryEnterDataSEN SET qryEnterDataSEN.Locked = False  
WHERE (((qryEnterDataSEN.Locked)=True));
```

**SQL**

```
UPDATE tblStudent SET tblStudent.Locked = False  
WHERE (((tblStudent.Locked)=True) And  
((tblStudent.AcYr)=Forms!frmEnterDataSEN!frmEnterDataSENSubform.Form!AcYr) And  
((tblStudent.UPN)=Forms!frmEnterDataSEN!frmEnterDataSENSubform.Form!UPN));
```

**SQL**

```
UPDATE tblStudent SET tblStudent.NoSEN = True
WHERE (((tblStudent.NoSEN)=False) AND ((tblStudent.PMLD)=False) AND ((tblStudent.SLD)=False) AND
(tblStudent.MLD)=False) AND ((tblStudent.SpLD)=False) AND ((tblStudent.SpLangComm)=False) AND
(tblStudent.ASD)=False) AND ((tblStudent.Visual)=False) AND ((tblStudent.Hearing)=False) AND
(tblStudent.MSI)=False) AND ((tblStudent.EBSD)=False) AND ((tblStudent.Physical)=False) AND
(tblStudent.Other)=False));
```

**SQL**

```
UPDATE tblStudent SET tblStudent.Ethnicity = "Unknown"  
WHERE (((tblStudent.Ethnicity) Is Null));
```

**SQL**

```
UPDATE tblStudent SET tblStudent.FirstLanguage = "Unknown"  
WHERE (((tblStudent.FirstLanguage) Is Null));
```



**SQL**

```
UPDATE tblStudent SET tblStudent.RegGroup = "Unknown"  
WHERE (((tblStudent.RegGroup) Is Null));
```

**SQL**

```
UPDATE tblStudent SET tblStudent.SENStatus = "No Special Educational Need"  
WHERE (((tblStudent.SENStatus) Is Null));
```

**SQL**

```
UPDATE tblStudent SET tblStudent.YearGroup = "Unknown"  
WHERE (((tblStudent.YearGroup) Is Null));
```

**SQL**

```
UPDATE tblSystem SET tblSystem.Organisation = [Forms]![frmMaintenance]![Subform].[Form]![Organisation];
```

**SQL**

```
UPDATE tblSystem SET tblSystem.Organisation = [Forms]![frmPassword]![Organisation];
```

**SQL**

```
UPDATE tblSystem SET tblSystem.[Password] = [Forms]![frmMaintenance]![Subform].[Form]![NewPassword],  
tblSystem.PasswordHint = [Forms]![frmMaintenance]![Subform].[Form]![NewHint];
```

**SQL**

```
UPDATE tblSystem SET tblSystem.[Password] = [Forms]![frmPassword]![Password], tblSystem.PasswordHint  
= [Forms]![frmPassword]![Hint];
```

**SQL**

```
UPDATE tblRunOnce SET tblRunOnce.Run = True, tblRunOnce.MachineName = fncCompName()  
WHERE (((tblRunOnce.Run)=False)) OR (((tblRunOnce.MachineName)<>fncCompName() Or  
(tblRunOnce.MachineName) Is Null));
```